



OVERALL WIDTH: 6.125"  
1/2 OF FACE: 1.625"  
L MEASUREMENT: 1.750"  
WEB-TO-HUB EXTENSION R: 1.476"  
FACE-TO-HUB EXTENSION L: 3.125"  
FACE-TO-HUB EXTENSION R: 2.875"  
APPROXIMATE WEIGHT (LBS.): 19  
SMALL BORE DIAMETER: 1.438"

TOLERANCES:  
WHEEL DIAMETER: +0.005"/-0.000"  
BORE TAPER: +0.000"/-0.003"

APPROVED BY:			SIGNATURE:			DATE:	
D	F	O	H	B	BORE TAPER IN/FT	S	T
WHEEL DIAMETER	FACE WIDTH	HUB OFFSET	HUB LENGTH	BORE DIAMETER	BORE TAPER IN/FT	KEYWAY WIDTH	KEYWAY DEPTH
8.000"	3.250"	4.500"	3.000"	1.750"	1.250"	0.500"	0.250"
UNLESS OTHERWISE SPECIFIED DRAWING TOLERANCES DIMENSIONS: ±0.010" FINISH: 250  EXCEPT FOR BORE AND OUTER FACE WHICH SHOULD BE 63 				<b>BRAKE PRODUCTS, INC.</b> 16751 HILLTOP PARK PLACE CHAGRIN FALLS, OH 44023 UNITED STATES OF AMERICA		Web: <a href="http://www.brakeproducts.com">www.brakeproducts.com</a> Email: <a href="mailto:sales@brakeproducts.com">sales@brakeproducts.com</a> Phone: (440) 543-7962 Fax: (440) 543-7963	
DATE: Wednesday, May 24 2017				PART # BE081018		MATERIAL SPECIFICATION: DUCTILE IRON ASTM A536-84 80-55-06	
DESCRIPTION: 8 INCH BORED & KEYED BRAKE WHEEL						SERIAL # 115	

HUB LENGTH BORE & KEYWAY FOR A 602, 802, AC1, AC2, AC4, MCS2, MD402AE, SW5 MTRS